



Product Comparison
Pilkington **Pyroshield™** Range
Pilkington **Pyroshield™** 2 Range



PILKINGTON
NSG Group Flat Glass Business

Changes to the Pilkington **Pyroshield™** range of products

The Pilkington **Pyroshield™** product range has changed.

This overview aims to help you understand the properties of new Pilkington **Pyroshield™** 2 compared to its predecessor Pilkington **Pyroshield™**.

Existing Pilkington **Pyroshield™** Range

Pilkington **Pyroshield™** features:

- A range of 4 products with clear and textured safety and non safety versions
- Tested and assessed as a **30 minute integrity** fire resistant glass
- Also tested and assessed **in excess of 30 minutes**

New Pilkington **Pyroshield™** 2 Range


Pilkington **Pyroshield™** 2 features:

- A range of 2 products only
- Tested and assessed as a **30 minute integrity** fire resistant glass
- **NOT** tested and assessed **in excess of 30 minutes**
Please refer to our fire test performance data to confirm allowable sizes and frame types
- Impact safety version of Pilkington **Pyroshield™** 2 Texture not currently available

For more details see our product brochure, datasheet and cutting guidelines or visit www.pilkington.co.uk/pyroshield2

Existing Pilkington Pyroshield™ Range

NEW Pilkington Pyroshield™ 2 Range




Pilkington **Pyroshield™** Safety Clear



Pilkington **Pyroshield™ 2** Safety Clear




Pilkington **Pyroshield™** Clear



NOT AVAILABLE




Pilkington **Pyroshield™** Safety Texture



NOT AVAILABLE



Pilkington **Pyroshield™** Texture



Pilkington **Pyroshield™ 2** Texture

To the fullest extent permitted by applicable laws, Nippon Sheet Glass Co. Ltd. and its subsidiary companies disclaim all liability for any error in or omission from this publication and for all consequences of relying on it. Pilkington and “Pyroshield” are trademarks of Nippon Sheet Glass Co. Ltd.

Please note that imagery throughout is for illustration purposes only.



CE marking confirms that a product complies with its relevant harmonised European Norm. The CE marking label for each product, including declared values, can be found at www.pilkington.com/CE



PILKINGTON
NSG Group Flat Glass Business

Building Products - UK

Prescot Road, St Helens, WA10 3TT United Kingdom

Telephone 01744 692000 Fax 01744 692880

pilkington@respond.uk.com

www.pilkington.co.uk

8862 – October 2009